

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	1	(soc and ebiu).clm.	US-PGPUB	OR	ON	2009/07/31 12:44
L8	5	(soc and (test adj bench)).clm.	US-PGPUB	OR	ON	2009/07/31 12:44
L9	41	(soc and verif\$7).clm.	US-PGPUB	OR	ON	2009/07/31 12:48

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17	703/20.ccls. and @pd>="20081101"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2009/07/31 12:25
L2	45	soc and verif\$7 and ((test adj bench) or testbench) and @pd>="20081101"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2009/07/31 12:27
L5	58	(international adj business adj machine).as. and soc and verif\$7 and @pd<="20020101"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2009/07/31 12:38

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S213	3830	716/4.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2009/07/29 17:24


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "((soc<and>verif*)<and>test bench) <and> (pyr >= 1913 <and> pyr <= 2002..."

Your search matched **109** of **2353670** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

Join IEEE Now
Save 50%

» Search Options

[View Session History](#)
[New Search](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
AIP JNL	AIP Journal
AVS JNL	AVS Journal
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard



Indicates open access content

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract
[IEEE/IET/AIP/AVS](#)
[Books](#)
[Educational Courses](#)
[A](#)

Practical applied content provided by GlobalSpec to explain, illustrate and promote tech or endorsed by the IEEE.

[Select All](#) [Deselect All](#)

View: 1

- ☐ **1. Nanometer mixed-signal system-on-a-chip design**
 Chou, E.; Sheu, B.;
[Circuits and Devices Magazine, IEEE](#)
 Volume 18, [Issue 4](#), July 2002 Page(s):7 - 17
 Digital Object Identifier 10.1109/MCD.2002.1021118
[AbstractPlus](#) | Full Text: [PDF\(491 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **2. Using a soft core in a SoC design: experiences with p**
 Dey, S.; Panigrahi, D.; Li Chen; Taylor, C.N.; Sekar, K.; Sanchez, P.;
[Design & Test of Computers, IEEE](#)
 Volume 17, [Issue 3](#), July-Sept. 2000 Page(s):60 - 71
 Digital Object Identifier 10.1109/54.867896
[AbstractPlus](#) | Full Text: [PDF\(120 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **3. Design verification and DFT for an embedded reconfi multiplier in system-on-chip applications**
 Margala, M.; Xianling Chen; Jian Xu; Hongfan Wang;
[ASIC/SOC Conference, 2001. Proceedings. 14th Annual IEEE International](#)
 12-15 Sept. 2001 Page(s):230 - 234
 Digital Object Identifier 10.1109/ASIC.2001.954703
[AbstractPlus](#) | Full Text: [PDF\(288 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **4. IP reuse in the system on a chip era**
 Savage, W.; Chilton, J.; Camposano, R.;
[System Synthesis, 2000. Proceedings. The 13th International Symposium on](#)

20-22 Sept. 2000 Page(s):2 - 7
Digital Object Identifier 10.1109/ISSS.2000.874022
[AbstractPlus](#) | Full Text: [PDF\(720 KB\)](#) IEEE CNF
[Rights and Permissions](#)

☐ **5. Design and verification of a stack processor virtual c**

Stadler, M.; Thalmann, M.; Rower, T.; Kaeslin, H.; Felber, N.; Fichtner, W.;
[Micro, IEEE](#)
Volume 21, [Issue 2](#), March-April 2001 Page(s):69 - 80
Digital Object Identifier 10.1109/40.918004
[AbstractPlus](#) | Full Text: [PDF\(300 KB\)](#) IEEE JNL
[Rights and Permissions](#)

☐ **6. Using codesign techniques to support analog functio**

Wolff, F.G.; Knieser, M.J.; Weyer, D.J.; Papachristou, C.A.;
[Hardware/Software Codesign, 1999. \(CODES '99\) Proceedings of the Sevent](#)
[on](#)
3-5 May 1999 Page(s):79 - 83
Digital Object Identifier 10.1109/HSC.1999.777397
[AbstractPlus](#) | Full Text: [PDF\(412 KB\)](#) IEEE CNF
[Rights and Permissions](#)

☐ **7. System-level test bench generation in a co-design fra**

Lajolo, M.; Rebaudengo, M.; Sonza Reorda, M.; Violante, M.; Lavagno, L.;
[European Test Workshop, 2000. Proceedings. IEEE](#)
23-26 May 2000 Page(s):25 - 30
Digital Object Identifier 10.1109/ETW.2000.873775
[AbstractPlus](#) | Full Text: [PDF\(416 KB\)](#) IEEE CNF
[Rights and Permissions](#)

☐ **8. A survey of digital design reuse**

Jacome, M.F.; Peixoto, H.P.;
[Design & Test of Computers, IEEE](#)
Volume 18, [Issue 3](#), May-June 2001 Page(s):98 - 107
Digital Object Identifier 10.1109/54.922806
[AbstractPlus](#) | Full Text: [PDF\(112 KB\)](#) IEEE JNL
[Rights and Permissions](#)

☐ **9. A framework for object oriented hardware specificati
and synthesis**

Kuhn, T.; Oppold, T.; Winterholer, M.; Rosenstiel, W.; Edwards, M.; Kashai, Y
[Design Automation Conference, 2001. Proceedings](#)
2001 Page(s):413 - 418
[AbstractPlus](#) | Full Text: [PDF\(512 KB\)](#) IEEE CNF
[Rights and Permissions](#)

☐ **10. A new paradigm for very flexible SONET/SDH IP-mod**

Rower, T.; Stadler, N.; Thalmann, M.; Kaeslin, H.; Felber, N.; Fichtner, W.;
[Custom Integrated Circuits Conference, 2000. CICC. Proceedings of the IEEE](#)
21-24 May 2000 Page(s):533 - 536
Digital Object Identifier 10.1109/CICC.2000.852724
[AbstractPlus](#) | Full Text: [PDF\(356 KB\)](#) IEEE CNF

[Rights and Permissions](#)

▮ **11. Crossroads for mixed-signal chips**

Levin, P.L.; Ludwig, R.;
[Spectrum, IEEE](#)
Volume 39, Issue 3, March 2002 Page(s):38 - 43
Digital Object Identifier 10.1109/6.988703
[AbstractPlus](#) | Full Text: [PDF](#)(421 KB) IEEE JNL
[Rights and Permissions](#)

▮ **12. A new design cost model for the 2001 ITRS**

Kahng, A.B.; Smith, G.;
[Quality Electronic Design, 2002. Proceedings. International Symposium on](#)
18-21 March 2002 Page(s):190 - 193
Digital Object Identifier 10.1109/ISQED.2002.996728
[AbstractPlus](#) | Full Text: [PDF](#)(211 KB) IEEE CNF
[Rights and Permissions](#)

▮ **13. A "design for verification" methodology**

Sforza, F.; Battu, L.; Brunelli, M.; Castelnovo, A.; Magnaghi, M.;
[Quality Electronic Design, 2001. International Symposium on](#)
26-28 March 2001 Page(s):50 - 55
Digital Object Identifier 10.1109/ISQED.2001.915205
[AbstractPlus](#) | Full Text: [PDF](#)(576 KB) IEEE CNF
[Rights and Permissions](#)

▮ **14. RT-level ITC'99 benchmarks and first ATPG results**

Corno, F.; Reorda, M.S.; Squillero, G.;
[Design & Test of Computers, IEEE](#)
Volume 17, Issue 3, July-Sept. 2000 Page(s):44 - 53
Digital Object Identifier 10.1109/54.867894
[AbstractPlus](#) | Full Text: [PDF](#)(124 KB) IEEE JNL
[Rights and Permissions](#)

▮ **15. C-based SoC design flow and EDA tools: an ASIC and perspective**

Wakabayashi, K.; Okamoto, T.;
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on](#)
Volume 19, Issue 12, Dec. 2000 Page(s):1507 - 1522
Digital Object Identifier 10.1109/43.898829
[AbstractPlus](#) | Full Text: [PDF](#)(388 KB) IEEE JNL
[Rights and Permissions](#)

▮ **16. Codesign paradigm in digital/analog tradeoffs**

Wolff, F.G.; Knieser, M.J.; Weyer, D.J.; Papachristou, C.A.;
[ASIC/SOC Conference, 1999. Proceedings. Twelfth Annual IEEE International](#)
15-18 Sept. 1999 Page(s):76 - 80
Digital Object Identifier 10.1109/ASIC.1999.806478
[AbstractPlus](#) | Full Text: [PDF](#)(372 KB) IEEE CNF
[Rights and Permissions](#)

17. **Enhanced reusability for SoC-based HW/SW co-design**
Boden, M.; Schneider, J.; Feske, K.; Rulke, S.;
[Digital System Design, 2002. Proceedings. Euromicro Symposium on](#)
4-6 Sept. 2002 Page(s):94 - 99
Digital Object Identifier 10.1109/DSD.2002.1115356
[AbstractPlus](#) | Full Text: [PDF](#)(305 KB) IEEE CNF
[Rights and Permissions](#)
18. **VHDL-based simulation environment for Proteo NoC**
Siguenza-Tortosa, D.; Numi, J.;
[High-Level Design Validation and Test Workshop, 2002. Seventh IEEE Intern](#)
27-29 Oct. 2002 Page(s):1 - 6
[AbstractPlus](#) | Full Text: [PDF](#)(497 KB) IEEE CNF
[Rights and Permissions](#)
19. **A layered approach to behavioral modeling of bus pr**
Chonnad, S.; Needamangalam, B.;
[ASIC/SOC Conference, 2000. Proceedings. 13th Annual IEEE International](#)
13-16 Sept. 2000 Page(s):170 - 173
Digital Object Identifier 10.1109/ASIC.2000.880696
[AbstractPlus](#) | Full Text: [PDF](#)(268 KB) IEEE CNF
[Rights and Permissions](#)
20. **Essential issues for IP reuse**
Gajski, D.D.; Wu, A.C.-H.; Chaiyakul, V.; Mori, S.; Nukiyama, T.; Bricaud, P.;
[Design Automation Conference, 2000. Proceedings of the ASP-DAC 2000. A](#)
25-28 Jan. 2000 Page(s):37 - 42
Digital Object Identifier 10.1109/ASPDAC.2000.835067
[AbstractPlus](#) | Full Text: [PDF](#)(376 KB) IEEE CNF
[Rights and Permissions](#)
21. **Hardware-software co-design of embedded systems |
N2C methodology for application development**
Tsasakou, S.; Voros, N.S.; Koziotis, M.; Verkest, D.; Prayati, A.; Birbas, A.;
[Electronics, Circuits and Systems, 1999. Proceedings of ICECS '99. The 6th I](#)
[Conference on](#)
Volume 1, 5-8 Sept. 1999 Page(s):59 - 62 vol.1
Digital Object Identifier 10.1109/ICECS.1999.812222
[AbstractPlus](#) | Full Text: [PDF](#)(224 KB) IEEE CNF
[Rights and Permissions](#)
22. **Teaching future verification engineers: the forgotten
design**
Ozguner, F.; Marhefka, D.; DeGroat, J.; Wile, B.; Stofer, J.; Hanrahan, L.;
[Design Automation Conference, 2001. Proceedings](#)
2001 Page(s):253 - 255
[AbstractPlus](#) | Full Text: [PDF](#)(280 KB) IEEE CNF
[Rights and Permissions](#)
23. **How VSIA answers the SOC dilemma**

Birnbaum, M.; Sachs, H.;
[Computer](#)
Volume 32, [Issue 6](#), June 1999 Page(s):42 - 50
Digital Object Identifier 10.1109/2.769442
[AbstractPlus](#) | [Full Text: PDF\(352 KB\)](#) IEEE JNL
[Rights and Permissions](#)

▮ **24. Multiprocessor SoC platforms: a component-based d**

Cesario, W.O.; Lyonard, D.; Nicolescu, G.; Paviot, Y.; Sungjoo Yoo; Jerraya
Nava, M.;
[Design & Test of Computers, IEEE](#)
Volume 19, [Issue 6](#), Nov.-Dec. 2002 Page(s):52 - 63
Digital Object Identifier 10.1109/MDT.2002.1047744
[AbstractPlus](#) | [Full Text: PDF\(327 KB\)](#) IEEE JNL
[Rights and Permissions](#)

▮ **25. Immunotronics - novel finite-state-machine architectu
self-test using self-nonsel differentiation**

Bradley, D.W.; Tyrrell, A.M.;
[Evolutionary Computation, IEEE Transactions on](#)
Volume 6, [Issue 3](#), June 2002 Page(s):227 - 238
Digital Object Identifier 10.1109/TEVC.2002.1011538
[AbstractPlus](#) | [Full Text: PDF\(397 KB\)](#) IEEE JNL
[Rights and Permissions](#)

View: 1

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)
[Sign in](#)

Google scholar -

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 8,420 for **soc verify test bench**. (0.14 sec)

[BOOK] [Surviving the SOC revolution: a guide to platform-based design](#)

H Chang, L Cooke, M Hunt - 1999 - books.google.com

... design com- ponents and **verifying** designs before ... 6 Surviving the **SOC** Revolution productivity. ... Standardized/multiple application-specific **Test** architecture None ...

Cited by 397 - [Related articles](#) - [All 5 versions](#)

[Using a soft core in a SOC design: Experiences with picoJava- ►byu.edu](#) [PDF]

S Dey, D Panigrahi, L Chen, CN Taylor, K ... - IEEE Design & **Test** of computers, 2000 - [ieeexplore.ieee.org](#)

... core can be integrated in an **SoC** design, the ... the picoJava core, the user must **verify** the core at ... Therefore, we had to modify the **test-bench** environment of the ...

Cited by 19 - [Related articles](#) - [BL Direct](#) - [All 19 versions](#)

[How VSIA answers the SOC dilemma](#)

M Birnbaum, H Sachs, FM Inc - Computer, 1999 - [ieeexplore.ieee.org](#)

... An **SOC's** gate count can be very large, and it ... are being established to simulate and **verify** this new ... Behavioral models Emulation model Evaluation **test bench** ...

Cited by 60 - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)

[IP Reuse in the System on a Chip Era- ►ufrn.br](#) [PDF]

W Savage, J Chilton, R Camposano - Proceeding of 13 th International Symposium on ..., 2000 - [doi.ieeeecomputersociety.org](#)

... and actively work against the success of **SoC** technology by ... the **test bench** into the other language and **verify** the **test** vectors pass the new **test bench**. ...

Cited by 36 - [Related articles](#) - [All 13 versions](#)

[PDF] ► [C-based SoC design flow and EDA tools: An ASIC and system vendor perspective](#)

K Wakabayashi, T Okamoto - IEEE Transactions on Computer-Aided Design of ..., 2000 - [icdesign4fun.com](#)

... and semi-formal veri- fiers, and **test-bench** generators. ... level sim- ulations and directly **verify** their circuit ... WAKABAYASHI AND OKAMOTO: C-BASED **SOC** DESIGN FLOW ...

Cited by 75 - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 5 versions](#)

[A framework for object oriented hardware specification, verification, and synthesis- ►ethz.ch](#)

[PDF]

T Kuhn, T Oppold, M Winterholer, W ... - Proceedings of the 38th conference on Design ..., 2001 - [portal.acm.org](#)

... A key aspect of **verifying SoC** designs, which ... allows the designer to specify, **verify**, and synthesize ... synthesis which may facilitate **test bench** acceleration and ...

Cited by 35 - [Related articles](#) - [All 19 versions](#)

[PDF] ► [The transaction-based verification methodology](#)

DS Brahme, S Cox, J Gallo, M Glasser, W ... - Cadence Design Systems, Inc, 2000 - [masters.donntu.edu.ua](#)

... A system-on-a-chip (**SoC**) for Voice-over ... gen- erators and checkers to **verify** design functionality ... **Test bench** creation continues until **test** plan requirements have ...

Cited by 39 - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

[RTL C-based methodology for designing and verifying a multi-threaded processor-](#)


► [dac.com](#) [PDF]

L Semeria, A Seawright, R Mehra, D Ng, A ... - Design Automation Conference, 2002. Proceedings. ..., 2002 -

Cited by 32 - Related articles - BL Direct - All 20 versions

Cited by 19 - Related articles - BL Direct - All 13 versions

Cited by 22 - Related articles - BL Direct



©2009 Google